
iAIS application



Brand: Product Code: iAIS application **Call for Price**: 07 3277 0237

Description

"iAIS is a simple AIS target plotter designed for use with DigitalYachts iAIS WiFi receiver or any of our other Wireless NMEA products if they are connected to an AIS system."

iAIS is a simple AIS target plotter designed for use with DigitalYachts iAIS WiFi receiver or any of our other Wireless NMEA products if they are connected to an AIS system. iAIS is a fun and interesting App for anyone onboard a boat fitted with one of our Wireless AIS systems, allowing other vessels to be seen, tracked and identified.

A new version of Digital Yacht's iAIS app is now available that supports a background layer of charting utilising the popular and detailed Navionic's charts. What's more, there's no requirement to re-purchase charts as long as you have a current Navionic's subscription and app on the iOS device. The Navionic's charting layer can be enabled with a low cost in app purchase.

AIS targets are plotted relative to iPhone/iPod/iPad position. Tapping on an AIS target displays details (i.e. speed, course, destination, type, length, etc.).

iAIS is also useful for testing a wireless NMEA system as it can show the raw wireless NMEA data (either TCP or UDP data packets) that is being transmitted by the wireless server.

FEATURES

• Real time AIS target overlay with full drill down data

- Real time position from AIS transponder
- Navionics charting now available as a back ground layer just add a low cost, in app purchase on iAIS app
- Pan and zoom around the chart
- Centre on targets or boat position
- Tapable targets and target list
- Choice of north up or course up charting displays
- Range rings
- No repurchase necessary of Navionic's charts just login to your Navionic's account
- iPad and iPhone compatible
- Works with any of Digital Yacht's wireless AIS products or wireless NMEA servers connected to an AIS device



💶 Orange 🛜 16:50 TCP/IP NMEA Client Save OFF Link: Host: 169.254.1.1 Port: 2000 **Disconnect Alarm:** ON AIS Targets Only: OFF CONNECTING CONNECTED !AIVDM,1,1,,B,B00000@007ugb>7@V@AUowqU. AIVDM,1,1,,B,B00000@007ugc77@VCiUow AIVDM,1,1,,A,B00000@007ugbi7@VBqUc AIVDM,1,1,,B,B00000@007ugbGW@V (C1U AIVDM,1,1,,B,4h2=aDQubV@ESOIs:8Ls9H100 AIVDM,1,1,,A,B00000@007ugbH7@VCUUowj5k GPGSV,3,3,12,16,10,173,,28,08,326,35,07,06,2.

Product Gallery

iAIS		:24 ments	🕈 🔰 🖬
40 Course	-W-	300)
HDO	G:	284° T	rue
soc	G:	0.0 K	тѕ
Position			
ALT	: [232'	
<u> </u>	. I	Loc Mar	
		00.00	?
Plotter	Targets	Instruments	Guide

